

# **MODEL CONTEXT PROTOCOL (MCP) PRINCIPLES**

**Module 6 — Harwell Prompt Engineering**

# LEARNING OBJECTIVES

By the end of this module you will be able to:

# LEARNING OBJECTIVES

By the end of this module you will be able to:

# LEARNING OBJECTIVES

By the end of this module you will be able to:

# LEARNING OBJECTIVES

By the end of this module you will be able to:

# LEARNING OBJECTIVES

By the end of this module you will be able to:

# BRIDGE FROM MODULE 5

What we learned last time:

- 

The connection:

- 
- 
- 

Frame explicitly:



# BRIDGE FROM MODULE 5

What we learned last time:

- RAG connects AI to documents

The connection:

- 
- 
- 

Frame explicitly:



# BRIDGE FROM MODULE 5

What we learned last time:

- RAG connects AI to documents

The connection:

- RAG: Documents (static)
- 
- 

Frame explicitly:



# BRIDGE FROM MODULE 5

What we learned last time:

- **RAG** connects AI to documents

The connection:

- RAG: Documents (static)
- MCP: Files, repos, databases (live)
- 

Frame explicitly:



# BRIDGE FROM MODULE 5

What we learned last time:

- **RAG** connects AI to documents

**The connection:**

- RAG: Documents (static)
- MCP: Files, repos, databases (live)
- Both solve “AI doesn’t know your context”

**Frame explicitly:**



# BRIDGE FROM MODULE 5

What we learned last time:

- **RAG** connects AI to documents

**The connection:**

- RAG: Documents (static)
- MCP: Files, repos, databases (live)
- Both solve “AI doesn’t know your context”

**Frame explicitly:**

- This section is **orientation** — understanding what MCP is
- 
-

# BRIDGE FROM MODULE 5

What we learned last time:

- **RAG** connects AI to documents

The connection:

- RAG: Documents (static)
- MCP: Files, repos, databases (live)
- Both solve “AI doesn’t know your context”

Frame explicitly:

- This section is **orientation** — understanding what MCP is
- Not adoption or rollout guidance
-

# BRIDGE FROM MODULE 5

What we learned last time:

- **RAG** connects AI to documents

**The connection:**

- RAG: Documents (static)
- MCP: Files, repos, databases (live)
- Both solve “AI doesn’t know your context”

**Frame explicitly:**

- This section is **orientation** — understanding what MCP is
- Not adoption or rollout guidance
- MCP is still early/evolving

# THE PROBLEM: THE SILO PROBLEM

The limitation:

- 
- 
- 
- 
-

# THE PROBLEM: THE SILO PROBLEM

The limitation:

- AI tools (browser, apps) can't see your local files, repos, or databases
- 
- 
- 
-

# THE PROBLEM: THE SILO PROBLEM

The limitation:

- AI tools (browser, apps) can't see your local files, repos, or databases
- **X** You have to manually copy-paste code
- 
- 
-

# THE PROBLEM: THE SILO PROBLEM

The limitation:

- AI tools (browser, apps) can't see your local files, repos, or databases
- **X** You have to manually copy-paste code
- **X** AI doesn't know your project structure
- 
-

# THE PROBLEM: THE SILO PROBLEM

The limitation:

- AI tools (browser, apps) can't see your local files, repos, or databases
- **X** You have to manually copy-paste code
- **X** AI doesn't know your project structure
- **X** AI can't access your database schema
-

# THE PROBLEM: THE SILO PROBLEM

The limitation:

- AI tools (browser, apps) can't see your local files, repos, or databases
- **✗** You have to manually copy-paste code
- **✗** AI doesn't know your project structure
- **✗** AI can't access your database schema
- **✗** Context switching is slow and error-prone

## The pain:

- 
- 
- 
- 
-

## The pain:

- Scenario: “Explain how this module works”
- 
- 
- 
-

## The pain:

- Scenario: “Explain how this module works”
- **X** You copy-paste files one by one
- 
- 
-

## The pain:

- Scenario: “Explain how this module works”
- **X** You copy-paste files one by one
- **X** Lose project structure context
- 
-

## The pain:

- Scenario: “Explain how this module works”
- **X** You copy-paste files one by one
- **X** Lose project structure context
- **X** Can't reference related files
-

## The pain:

- Scenario: “Explain how this module works”
- **X** You copy-paste files one by one
- **X** Lose project structure context
- **X** Can't reference related files
- **X** Slow, manual, risky (data privacy)

# THE SOLUTION: MCP

MCP = Model Context Protocol

- 
- 
- 
-

# THE SOLUTION: MCP

MCP = Model Context Protocol

- Standardized protocol for context servers
- 
- 
-

# THE SOLUTION: MCP

MCP = Model Context Protocol

- Standardized protocol for context servers
-  AI can request context through protocol
- 
-

# THE SOLUTION: MCP

MCP = Model Context Protocol

- Standardized protocol for context servers
-  AI can request context through protocol
-  Structured, safe access to files/repos/databases
-

# THE SOLUTION: MCP

MCP = Model Context Protocol

- Standardized protocol for context servers
-  AI can request context through protocol
-  Structured, safe access to files/repos/databases
-  Less manual copy-paste

**Key idea:**

- 

- 

-

## Key idea:

- Context servers expose data (filesystem, git, database)
- 
-

## Key idea:

- Context servers expose data (filesystem, git, database)
- Clients (AI tools) request context through protocol
-

## Key idea:

- Context servers expose data (filesystem, git, database)
- Clients (AI tools) request context through protocol
- Standardized, interoperable

# WITHOUT MCP VS. WITH MCP

Without MCP:

- 
- 
- 
- 
-

# WITHOUT MCP VS. WITH MCP

## Without MCP:

- AI tool can't see your files
- 
- 
- 
-

# WITHOUT MCP VS. WITH MCP

## Without MCP:

- AI tool can't see your files
- **X** You paste code manually
- 
- 
-

# WITHOUT MCP VS. WITH MCP

## Without MCP:

- AI tool can't see your files
- **X** You paste code manually
- **X** No project structure awareness
- 
-

# WITHOUT MCP VS. WITH MCP

## Without MCP:

- AI tool can't see your files
- **X** You paste code manually
- **X** No project structure awareness
- **X** Can't reference other files
-

# WITHOUT MCP VS. WITH MCP

## Without MCP:

- AI tool can't see your files
- **X** You paste code manually
- **X** No project structure awareness
- **X** Can't reference other files
- **X** Context is lost

## With MCP:

- 
- 
- 
- 
-

## With MCP:

- AI tool requests context through MCP protocol
- 
- 
- 
-

## With MCP:

- AI tool requests context through MCP protocol
- Context server exposes files/repos/databases
- 
- 
-

## With MCP:

- AI tool requests context through MCP protocol
- Context server exposes files/repos/databases
-  AI can “read” project structure
- 
-

## With MCP:

- AI tool requests context through MCP protocol
- Context server exposes files/repos/databases
-  AI can “read” project structure
-  Can reference specific files
-

## With MCP:

- AI tool requests context through MCP protocol
- Context server exposes files/repos/databases
-  AI can “read” project structure
-  Can reference specific files
-  Structured, controlled access

# HOW MCP WORKS: THE ARCHITECTURE

Context servers:

- 
- 
-

# HOW MCP WORKS: THE ARCHITECTURE

## Context servers:

- Expose data sources (filesystem, git, database)
- 
-

# HOW MCP WORKS: THE ARCHITECTURE

## Context servers:

- Expose data sources (filesystem, git, database)
- Examples: Filesystem server, Git server, Database server
-

# HOW MCP WORKS: THE ARCHITECTURE

## Context servers:

- Expose data sources (filesystem, git, database)
- Examples: Filesystem server, Git server, Database server
- Standardized way to access different data sources

## Clients:

- 
- 
-

## Clients:

- AI tools that request context
- 
-

## Clients:

- AI tools that request context
- Examples: Claude Desktop, IDEs, AI applications
-

## Clients:

- AI tools that request context
- Examples: Claude Desktop, IDEs, AI applications
- Request context through MCP protocol

## The protocol:

- 
- 
-

## The protocol:

- Standardized request/response format
- 
-

## The protocol:

- Standardized request/response format
- Any client can work with any server
-

## The protocol:

- Standardized request/response format
- Any client can work with any server
- Defines how to request files, list directories, query databases

# EXAMPLE FLOW

User asks AI: “Explain this module”

1.

2.

3.

4.

5.

**Result:** AI understands your project structure without manual copy-paste.

# EXAMPLE FLOW

User asks AI: “Explain this module”

1. AI client requests: “List files in src/main/java/module1”
- 2.
- 3.
- 4.
- 5.

**Result:** AI understands your project structure without manual copy-paste.

# EXAMPLE FLOW

User asks AI: “Explain this module”

1. AI client requests: “List files in src/main/java/module1”
2. Filesystem server responds: [“File1.java”, “File2.java”]
- 3.
- 4.
- 5.

**Result:** AI understands your project structure without manual copy-paste.

# EXAMPLE FLOW

User asks AI: “Explain this module”

1. AI client requests: “List files in src/main/java/module1”
2. Filesystem server responds: [“File1.java”, “File2.java”]
3. AI client requests: “Read File1.java”
- 4.
- 5.

**Result:** AI understands your project structure without manual copy-paste.

# EXAMPLE FLOW

User asks AI: “Explain this module”

1. AI client requests: “List files in src/main/java/module1”
2. Filesystem server responds: [“File1.java”, “File2.java”]
3. AI client requests: “Read File1.java”
4. Filesystem server responds: File contents
- 5.

**Result:** AI understands your project structure without manual copy-paste.

# EXAMPLE FLOW

User asks AI: “Explain this module”

1. AI client requests: “List files in src/main/java/module1”
2. Filesystem server responds: [“File1.java”, “File2.java”]
3. AI client requests: “Read File1.java”
4. Filesystem server responds: File contents
5. AI generates explanation based on retrieved files

**Result:** AI understands your project structure without manual copy-paste.

# SIMPLE ANALOGY

Think of MCP like a library API:

- 
- 
- 
- 

**MCP enables structured access to your systems.**

# SIMPLE ANALOGY

Think of MCP like a library API:

- Client (AI tool) requests information
- 
- 
- 

**MCP enables structured access to your systems.**

# SIMPLE ANALOGY

Think of MCP like a library API:

- Client (AI tool) requests information
- Server (context server) provides it
- 
- 

**MCP enables structured access to your systems.**

# SIMPLE ANALOGY

Think of MCP like a library API:

- Client (AI tool) requests information
- Server (context server) provides it
- Protocol defines the request/response format
- 

**MCP enables structured access to your systems.**

# SIMPLE ANALOGY

Think of MCP like a library API:

- Client (AI tool) requests information
- Server (context server) provides it
- Protocol defines the request/response format
- Standardized, structured, safe

**MCP enables structured access to your systems.**

# IMPLICATIONS: WHAT THIS MEANS

Implication 1: Safer access

- 
- 
-

# IMPLICATIONS: WHAT THIS MEANS

## Implication 1: Safer access

-  Structured, controlled access to files/repos
- 
-

# IMPLICATIONS: WHAT THIS MEANS

## Implication 1: Safer access

-  Structured, controlled access to files/repos
-  Can limit what AI can see (e.g. “only this module”)
-

# IMPLICATIONS: WHAT THIS MEANS

## Implication 1: Safer access

-  Structured, controlled access to files/repos
-  Can limit what AI can see (e.g. “only this module”)
-  Less risky than manual copy-paste

## Implication 2: Less copy-paste

- 
- 
-

## Implication 2: Less copy-paste

-  AI can request context automatically
- 
-

## Implication 2: Less copy-paste

-  AI can request context automatically
-  No manual file copying
-

## Implication 2: Less copy-paste

-  AI can request context automatically
-  No manual file copying
-  Faster iteration

## Implication 3: Still early

- 
- 
- 
-

## Implication 3: Still early

-  MCP is still evolving
- 
- 
-

## Implication 3: Still early

- ⚠ MCP is still evolving
- ⚠ Not all tools support it yet
- 
-

## Implication 3: Still early

-  MCP is still evolving
-  Not all tools support it yet
-  Expect changes and improvements
-

## Implication 3: Still early

-  MCP is still evolving
-  Not all tools support it yet
-  Expect changes and improvements
-  This is orientation, not adoption guidance

# WHEN TO CONSIDER MCP

Consider MCP when:

- 
- 
- 
- 

MCP is still early — watch for adoption and tool support.

# WHEN TO CONSIDER MCP

Consider MCP when:

-  You need AI to reason over many files
- 
- 
- 

MCP is still early — watch for adoption and tool support.

# WHEN TO CONSIDER MCP

Consider MCP when:

-  You need AI to reason over many files
-  You need structured access to repos/databases
- 
- 

**MCP is still early** — watch for adoption and tool support.

# WHEN TO CONSIDER MCP

Consider MCP when:

-  You need AI to reason over many files
-  You need structured access to repos/databases
-  Manual copy-paste is too slow or risky
- 

**MCP is still early** — watch for adoption and tool support.

# WHEN TO CONSIDER MCP

Consider MCP when:

-  You need AI to reason over many files
-  You need structured access to repos/databases
-  Manual copy-paste is too slow or risky
-  Your tools support MCP

**MCP is still early** — watch for adoption and tool support.

# SUMMARY

1.

2.

3.

4.

5.

# SUMMARY

1. **Problem:** AI tools can't access local files/repos/databases
- 2.
- 3.
- 4.
- 5.

# SUMMARY

1. **Problem:** AI tools can't access local files/repos/databases
2. **Solution:** MCP provides standardized protocol for context servers
- 3.
- 4.
- 5.

# SUMMARY

1. **Problem:** AI tools can't access local files/repos/databases
2. **Solution:** MCP provides standardized protocol for context servers
3. **How it works:** Servers expose data, clients request through protocol
- 4.
- 5.

# SUMMARY

1. **Problem:** AI tools can't access local files/repos/databases
2. **Solution:** MCP provides standardized protocol for context servers
3. **How it works:** Servers expose data, clients request through protocol
4. **Implications:** Safer, structured access; less copy-paste; still early
- 5.

# SUMMARY

1. **Problem:** AI tools can't access local files/repos/databases
2. **Solution:** MCP provides standardized protocol for context servers
3. **How it works:** Servers expose data, clients request through protocol
4. **Implications:** Safer, structured access; less copy-paste; still early
5. **Orientation only:** Understanding, not adoption guidance

# BRIDGE TO MODULE 7

What we've learned:

- 

What's next:

**Module 7:** AI APIs — the technical details of calling LLMs programmatically.

MCP uses APIs under the hood — let's understand how those APIs work.

# BRIDGE TO MODULE 7

## What we've learned:

- **MCP** connects AI to live systems (files, repos, databases)

## What's next:

**Module 7:** AI APIs — the technical details of calling LLMs programmatically.

MCP uses APIs under the hood — let's understand how those APIs work.

# QUESTIONS?

*Module 6 — Model Context Protocol (MCP) Principles*

